

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/001,764 10/31/2001		Michael B. Metzger	DT-4060	4324	
7:	590 01/29/2004		EXAM	INER	
SIDLEY AUSTIN BROWN & WOOD LLP			MUROMOTO J	MUROMOTO JR, ROBERT H	
875 Third Aver New York, NY		*	ART UNIT	PAPER NUMBER	
,			3765		

DATE MAILED: 01/29/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

RECEIVED FEB 2 4 2004

TECHNOLOGY CENTER R3700

						_
,		1	Application No.	Арр	licant(s)	
Office Action Summary			10/001,764	МЕТ	METZGER, MICHAEL B.	
			Examiner	Art l	Jnit	
		F	Robert H Muromoto, Jr.	3765	5	
Period fo	The MAILING DATE of this commu or Reply	nication appea	ers on the cover sheet v	vith the corres _i	pondence addi	ress
THE I - Exter after - If the - If NO - Failu - Any r	ORTENED STATUTORY PERIOD F MAILING DATE OF THIS COMMUN risions of time may be available under the provision SIX (6) MONTHS from the mailing date of this com period for reply specified above is less than thirty (period for reply is specified above, the maximum s re to reply within the set or extended period for repl eply received by the Office later than three months and patent term adjustment. See 37 CFR 1.704(b).	IICATION. s of 37 CFR 1.136(munication. 30) days, a reply wi statutory period will y will, by statute, ca	a). In no event, however, may a thin the statutory minimum of th apply and will expire SIX (6) MO use the application to become A	reply be timely filed irty (30) days will be NTHS from the mail ABANDONED (35 U	t considered timely. ling date of this com J.S.C. § 133).	imunication.
1)🖂	Responsive to communication(s) file	ed on <u>31 Octo</u>	ober 2001.			
2a) <u></u>	This action is FINAL .	2b)⊠ This ac	tion is non-final.			
3)[Since this application is in condition closed in accordance with the pract			• •		merits is
Dispositi	on of Claims					
4) Claim(s) 1-7 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-7 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement.						
-	on Papers	oner, arrarer e	.oouo,, roquiromonii			
10)⊠	The specification is objected to by the drawing(s) filed on is/are Applicant may not request that any objected to Replacement drawing sheet(s) including the oath or declaration is objected to	: a) ☐ acceptection to the draggethe correction	awing(s) be held in abeya is required if the drawing	nce. See 37 Cg(s) is objected	FR 1.85(a). to. See 37 CFR	
Priority u	nder 35 U.S.C. §§ 119 and 120					
a)[* S 13)	Acknowledgment is made of a claim All b) Some * c) None of: 1. Certified copies of the priority 2. Certified copies of the priority 3. Copies of the certified copies application from the Internation tee the attached detailed Office action cknowledgment is made of a claim to the certified copies application from the Internation the attached detailed Office action the certified copies application from the Internation the certified copies of the priority the copies of the certified copies application from the Internation the certified copies of the priority application from the Internation the certified copies of the priority the certified copies of the priority the copies of the priority	documents he documents he of the priority onal Bureau (lon for a list of for domestic ped in the first stanguage provision domestic per documents he	have been received. have been received in A documents have been PCT Rule 17.2(a)). the certified copies not priority under 35 U.S.C sentence of the specific sional application has be	Application Non received in the received. § 119(e) (to a cation or in an opeen received.	his National So a provisional a Application D	application) ata Sheet. specific
Attachment	(s)					
2) 🔲 Notice	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (F nation Disclosure Statement(s) (PTO-1449) F		5) Notice of		113) Paper No(s). pplication (PTO-1	

DETAILED ACTION

Specification

The abstract of the disclosure is objected to because the recitation "This invention relates too...". Correction is required. See MPEP § 608.01(b).

Specification

The disclosure is objected to because of the following informalities: the specification contains drawings that should be in a separate drawings section of the instant application. Additionally, multiple misspellings or typographical errors appear throughout the specification, such as the recitation "know" on page 6 which should be -- known--, "in" on page 6, line 9; "angel" on page 7 should be -- angle --; "fiction" on page 7 should be -- friction --.

Also the margins of the disclosure are incorrect. The papers have writing that are obscured by the punch holes at the top of the page because the applicant has used the incorrect margins.

Appropriate correction is required.

Drawings

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the multi-layer structure of the fabric/sock must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Art Unit: 3765

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Applicant has drawings throughout the specification that should be taken out of the specification to form a drawings section of the application that is appropriate to US Patent practice.

Claim Objections

Claim 5 is objected to because of the following informalities: the recitation "place" appears to be a typographical error in line 5. Appropriate correction is required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-4 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Pruit '418.

Pruit discloses an article of low friction footwear 10 that covers the lower leg, ankle, and foot of user. "FIG. 1 illustrates the components of an article of <u>low friction</u> footwear indicated generally at 10 that covers the lower leg, ankle, and foot of user 12. Footwear 10 comprises inner <u>layer</u> 14 of material, which fits closely around the foot of user 12. Footwear 10 further comprises friction isolation <u>layer</u> 16 that is disposed outwardly from inner <u>layer</u> 14. Friction isolation <u>layer</u> 16

Application/Control Number: 10/001,764

Art Unit: 3765

may cover portions of inner <u>layer</u> 14 or the entirety of inner <u>layer</u> 14. As shown in FIG. 1, friction isolation <u>layer</u> 14 covers the upper portions of the ankle of user 12 and the lower calf of user 12. In the case where friction isolation <u>layer</u> 16 covers only a portion of inner <u>layer</u> 14 as shown in FIG. 1, friction isolation <u>layer</u> 16 may be held securely in place by retention strap 18 (means for securing layers to the third object) that passes underneath the foot of user 12 to secure friction isolation <u>layer</u> 16 in place.

(3) Finally, footwear 10 comprises outer <u>layer</u> 20 (third layer) of material that completely

surrounds inner <u>layer</u> 14 (first layer) and friction isolation <u>layer</u> 16 (second layer).

Outer layer 20 comes

in contact with any shoe or boot worn by user 12. The movement of the shoe or boot would ordinarily cause a conventional <u>sock</u> to rub against the skin of the user 12. Due to the positioning of friction isolation <u>layer</u> 16 between inner <u>layer</u> 14 and outer <u>layer</u> 20, the movement of a shoe or boot around outer <u>layer</u> 20 causes outer <u>layer</u> 20 to move, but this movement of outer <u>layer</u> 20 is not translated to inner <u>layer</u> 14 that is disposed against the skin of user 12. In a similar way, friction isolation <u>layer</u> 16 may be placed directly against a person's skin.

Art Unit: 3765

(4) Inner layer 14 (first layer) and outer layer 20 (third fabric layer) may comprise conventional fabrics used to provide comfortable and durable socks, such as cotton, nylon, wool, or the like, and may also provide additional thermal insulation to the wearer.

Friction isolation layer 16 may comprise a wide variety of materials that provide a reduced or low-friction surface. For example, friction isolation layer 16 may comprise slick vinyl, satin cloth, mylar, plastic sheets, slick nylon, or any other material that will prevent the translation of movement of outer layer 20 to inner layer 14. Additionally, it may be desirable to form friction isolation layer 16 of a water proof or water resistant material.

Also, friction isolation layer 16 may be used with more than two layers of material. (col. 2. line 50-col. 3, line 20)"

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 5-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Pruit '418.

Application/Control Number: 10/001,764

Art Unit: 3765

Although Pruit teaches essentially all of the limitations of the instant invention, there is no specific teaching reciting polyester yarns or that the second layer be rotated 90 degrees with respect to the weave orientation of the first and second fabric layers.

However, Pruit clearly states that the fabric isolation layer 16 "may comprise a wide variety of materials that provide a reduced or <u>low-friction</u> surface. For example, friction isolation <u>layer</u> 16 may comprise slick vinyl, satin cloth, mylar, plastic sheets, slick nylon, or any other material that will prevent the translation of movement of outer <u>layer</u> 20 to inner <u>layer</u> 14. Additionally, it may be desirable to form friction isolation <u>layer</u> 16 of a water proof or water resistant material (col. 3, lines 12-20)." One of ordinary skill in the art would have been able to determine that polyester is a material that fills all of the listed requirements. Therefore it would have been obvious to one of ordinary skill in the art at the time of invention to use a polyester yarn as a low friction material.

With respect to the limitation of rotating the second fabric's weave design 90 degrees, the examiner would like to point out that the conventional fabric teaching in Pruit implies a plain weave design. Plain weave designs are symmetrical in all directions. So if one rotated a fabric of plain weave design 90 degrees to another fabric of plain weave design the weave designs would still be in the same orientation as before the rotation. Since the applicant has not claimed any weave designs different from the plain weave it follows that the structure of claim 5 is the exact same structure of that in claim 1, especially since the applicant has claimed that each fabric have the "identical" top and bottom surface. Therefore it would have been obvious to one of

Application/Control Number: 10/001,764

Art Unit: 3765

ordinary skill in the art to provide the low friction fabric of Pruit with the second fabric

Page 7

rotated 90 degrees as the rotation itself causes no change in the physical structure of

the multi-layered fabric.

Conclusion

The prior art made of record and not relied upon is considered pertinent to

applicant's disclosure. Various references have been cited that are pertinent to claimed

invention as cited.

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Robert H Muromoto, Jr. whose telephone number is

703-306-5503. The examiner can normally be reached on 8-530, M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, John Calvert can be reached on 703-305-1025. The fax phone number for

the organization where this application or proceeding is assigned is 703-872-9302.

Any inquiry of a general nature or relating to the status of this application or

proceeding should be directed to the receptionist whose telephone number is 703-308-

0861.

Bhm

January 23, 2004

TECHNOLOGY CENTER 3700

Notice of References Cited

Application/Control No. 10/001,764 Examiner

Robert H Muromoto, Jr.

Applicant(s)/Patent Under Reexamination METZGER, MICHAEL B.

Art Unit 3765

Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
	Α	US-4,615,188	10-1986	Hursh et al.	66/196
	В	US-4,843,844	07-1989	Hursh et al.	66/196
	С	US-6,108,820	08-2000	Bernhardt, Frederick	2/239
	D	US-6,143,368	11-2000	Gunn, Robert T.	427/407.1
	E	US-6,061,829	05-2000	Gunn, Robert T.	2/69
	F	US-5,918,317	07-1999	Bernhardt, Frederick S.	2/239
	G	US-5,586,398	12-1996	Carlson, J. Martin	36/114
	н	US-5,615,418	04-1997	Pruit, John D.	2/239
	1	US-	1		
	J	US-			
	К	US-			
	L	US-			
	М	US-			

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	0					
	Р					
	O					
	R					
	S					
	Т					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	
	٧	
	V	
	х	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)

Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.